

SAFETY DATA SHEET

Section 1: Product and Company Identification

Product Identifier: PowerWeld Coolant Fluid

Product Use: Cooling fluid

Item Code: COOL1 / COOL2 / COOL3

PowerWeld Inc. Supplier Name: Supplier Address: 2501 Beech Street

Valparaiso, IN 46383

Supplier Web Address: www.powerweldinc.com

Supplier Phone: 219-462-8700

1-800-826-9073

Emergency Phone: CHEMTREC (24-hour) 1-800-424-9300

PowerWeld Inc. Prepared By: Preparation Date: 19 September 2017

OSHA Regulatory Status: Regulated D-2A WHMIS Classification:

Section 2: Hazard Identification

Acute Toxicity Classification: Category 4 Eye Irritant

Label Elements:



Category 2B

Hazard Phrases

H302 Harmful if swallowed. H320 Causes eye irritation.

H373 May cause damage to organs (kidney) through prolonged or repeated exposure (oral).

Precautionary Phrases

P260 Do not breathe mist, spray, vapours.

P264 Wash hands, forearms, and exposed areas thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P301+ IF SWALLOWED:

P312 Call a POISON CENTER or doctor/physician if you feel

P314 Get medical advice and attention if you feel unwell.

P330 If swallowed, rinse mouth.

P501 Dispose of contents/container according to local, regional, national, territorial, provincial, and international regulations.

Other Hazards:

Keep out of reach of children. Keep away from food, drink and animal feeding stuffs. Wear suitable protective clothing. If swallowed, seek medical advice immediately and show this label or document.

Section 3: Composition/Information on Hazardous Ingredients

HAZARDOUS INGREDIENTS	CAS NUMBER	APPROXIMATE CONCENTRATION (%)
Ethylene Glycol	107-21-1	10 - <25

^{*}Composition consists of above ingredient mixed with nonhazardous additions.

Section 4: First-aid Measures

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing

is difficult, give oxygen. Seek medical attention if symptoms persist or if

unconscious.

If swallowed, induce vomiting. Contact physician if symptoms persist. *Ingestion:*

Eye Contact: Immediately flush with plenty of clear water for at least 15 minutes. Make

sure to flush under the eyelids. Consult a physician for definitive treatment.

Skin Contact: Product does not typically irritate skin.

Symptoms: Ingestion may lead to abdominal pain, central nervous system depression

and liver damage.

NOTE: In all severe cases, contact physician immediately. Local telephone operators can provide number of regional poison control centre.

Section 5: Fire-fighting Measures

Product is not flammable.

Section 6: Accidental Release Measures

Protective Equipment: Not required Emergency Procedures: Not applicable

Leak or Spill Procedure: Absorb spills with liquid-binding material (ie./ sand, diatomite, sawdust,

etc.).

Section 7: Handling and Storage

Handling Procedures and Equipment:

Not applicable

Storage Requirements:

No special requirements (keep containers closed when not in use)

Incompatibilities:

None known

Section 8: Exposure Controls/Personal Protection

Exposure Limits: Information not available

Engineering Controls: No special ventilation requirements; good general ventilation should be

sufficient to control exposure to airborne contaminants.

Personal Protective Equipment: Respiratory: Not required

> Hands: For brief contact, no precautions are necessary. For prolonged contact, chemical-resistant, impervious gloves complying with an approved

standard are recommended.

Eyes: Goggles are recommended when handling open containers (refilling). Skin: Coveralls and boots in compliance with an approved standard are

recommended when handling opening containers.

Section 9: Physical and Chemical Properties

Physical State: Liquid

Odour and Appearance: Odourless and colourless (clear)

Odour Threshold (ppm):Not availablepH:6 (at 20°C [68°F])

Melting Point:
-7°C (20°F)
Freezing Point:
-54°C (-65°F)
Boiling Point:
93°C (200°F)
Flashpoint:
118°C (245°F)
Upper Flammable Limit (% by volume):
Not applicable
Lower Flammable Limit (% by volume):

Section 10: Stability and Reactivity

Chemical Stability: Stable

Possible Hazardous Reactions:

Conditions to Avoid:

None known

Materials to Avoid (Incompatibilities):

None known

Conditions of Reactivity:

Hazardous Decomposition By-Products: None know

Hazardous Polymerization: Hazardous polymerization does not occur

Section 11: Toxicological Information

Effects of Acute Exposure: Ingestion may lead to abdominal pain, central nervous system depression

and liver damage.

Effects of Chronic Exposure:

Irritancy of Product:

Sensitization to Product:

Not applicable
Carcinogenicity:

Reproductive Effects:

Not available
Not applicable
Not available
Not available
Not applicable

Toxicological Data: Oral, rat – 5840 mg/kg (LD50); Dermal, rabbit – 9530 mg/kg (LD50)

Section 12: Ecological Information

General Notes: Slightly hazardous for water; do not allow undiluted product to reach ground

water, water course or sewage system.

Section 13: Disposal Considerations

NOTE: Always dispose of waste in accordance with local, provincial and federal regulations.

Safe Handling: See section 8.

Methods of Disposal: Small quantities can be disposed of with general waste. Large quantities

should be placed in sealed containers marked as waste to be disposed of in

accordance with local, provincial/state and federal regulations.

Section 14: Transportation Information

Product is not considered dangerous goods for transportation.

Section 15: Regulatory Information	1
California Proposition 65:	This product contains chemical(s) known to the State of California to cause cancer, or birth defects or reproductive harm: ethylene glycol.
Section 16: Other Information	
Preparation Date:	18 November 2015
Date of Last Revision:	19 September 2017

This SDS format is in accordance with GHS. PowerWeld Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Product use and conditions of use are beyond the control of PowerWeld. Warranty of materials is limited to test results of product performance as detailed in certificates of compliance. Interpretation of test results is the responsibility of enduser. No other warranties, expressed or implied, are made.